



## Disclaimers

EFINIX DOES NOT PROVIDE ANY WARRANTY OF ACCURACY, COMPLETENESS, MERCHANTABILITY, OR NONINFRINGEMENT OF THIRD-PARTY RIGHTS ON THIS DOCUMENT. THE INFORMATION IN THIS DOCUMENT IS “AS IS”; IN NO EVENT WILL EFINIX BE LIABLE FOR ANY EXEMPLARY, SPECIAL, CONSEQUENTIAL, INDIRECT, OR INCIDENTAL DAMAGES, INCLUDING ANY LOSS OF DATA, LOSS OF PROFITS, LOSS OF INFORMATION, LOSS OF LIFE OR BUSINESS INTERRUPTION, ARISING FROM YOUR USE OF THIS DOCUMENT.

EFINIX shall make changes to this document at any time without notification. EFINIX assumes no obligation to correct any errors contained in this document or to advise any user of this document of any correction if such be made. EFINIX advises its customers to obtain the latest FPGA schematic before ordering so that no conflict of information correctness arises afterward.

# Tz170J484 DEVELOPMENT BOARD

## CONTENTS

Page 00	- Table of Contents
Page 01	- Block Diagram
Page 02	- Tz170_A~B_Power
Page 03	- Tz170_C_GND & Bypass
Page 04	- Tz170_D_DDR4LP
Page 05	- Tz170_E~F_MIPI_1
Page 06	- Tz170_G~H_MIPI_2
Page 07	- Tz170_I~L_CLK & SDCARD
Page 08	- Tz170_M_UART_USB
Page 09	- Tz170_N
Page 10	- Tz170_O~P
Page 11	- Tz170_Q~U
Page 12	- SPI Flash
Page 13	- FMC
Page 14	- FMC
Page 15	- Power_0
Page 16	- Power_1
Page 17	- Power_2


## REVISION HISTORY


0.1	25/11/2024	Initial Release
1.0	4/2/2025	Production Release


All material must comply with:

1. The requirements of the European Union RoHS 2 Directive 2017/2102 (Amendment to 2011/65/EU) with no exceptions unless authorized.
2. The requirements of EC 1907/2006 and not contain any of the Substances of Very High Concern (SVHC) listed under the latest REACH requirements. (Amendments EU 2017/999, EU 2017/1510, EU 2018/35).


No changes to Efinix bill of materials is allowed unless approved in writing by Efinix Product Engineering Group. These changes will be maintained in the document revision history via ECN.


Efinix Inc		20400 Stevens Creek, Boulevard, Suite 200 Cupertino, CA 95014			
Title		00_Table of Contents			
		Copyright (c) 2024 All Rights Reserved			
Size	Document Number			Rev	
B	Tz170J484-BRD-SCHM			A	
Date:	Tuesday, February 04, 2025	Sheet	1	of	18












Efinix Inc 20400 Stevens Creek, Boulevard, Suite 200 Cupertino, CA 95014		<b>EFINIX</b> Copyright (c) 2024 All Rights Reserved	
Title		02_Tz170_A-B_Power	
Size	Document Number	Rev	
B	Tz170J484-BRD-SCHM	A	
Date:	Tuesday, February 04, 2025	Sheet	3 of 18












Efinix Inc		Cupertino, CA 95014		
20400 Stevens Creek, Boulevard, Suite 200		Copyright (c) 2024 All Rights Reserved		
Title				
06_Tz170_G-H_MIPI_2				
Size	Document Number	Document Number	Document Number	Rev
B	Tz170J484-BRD-SCHM			A
Date:	Tuesday, February 04, 2025	Sheet	7 of 18	







Efinix Inc		Cupertino, CA 95014		
20400 Stevens Creek, Boulevard, Suite 200		Copyright (c) 2024 All Rights Reserved		
Title: 08_T2170_M_UART_USB				
Size: B	Document Number: T2170J484-BRD-SCHM	Rev: A		
Date: Tuesday, February 04, 2025	Sheet: 9	of: 18		





Efinix Inc		Cupertino, CA 95014		
		20400 Stevens Creek, Boulevard, Suite 200		
Title		Copyright (c) 2024 All Rights Reserved		
		09_Tz170_N		
Size	Document Number			Rev
B	Tz170J484-BRD-SCHM			A
Date:	Tuesday, February 04, 2025	Sheet	10 of 18	







Efinix Inc		Cupertino, CA 95014		
		20400 Stevens Creek, Boulevard, Suite 200		
Title		Copyright (c) 2024 All Rights Reserved		
10_Tz170_O-P				
Size	Document Number			Rev
B	Tz170J484-BRD-SCHM			A
Date:	Tuesday, February 04, 2025	Sheet	11	of 18









Efinix Inc		Cupertino, CA 95014			
		20400 Stevens Creek, Boulevard, Suite 200			
Title		12_SPI Flash		Copyright (c) 2024 All Rights Reserved	
Size	Document Number				Rev
B	Tz170J484-BRD-SCHM				A
Date:	Tuesday, February 04, 2025	Sheet	13	of	18



Efinix Inc		Cupertino, CA 95014		
20400 Stevens Creek, Boulevard, Suite 200				
Title		Copyright (c) 2024 All Rights Reserved		
13_FMC				
Size	Document Number			Rev
B	T2170.H484-BRD-SCHM			A
Date:	Tuesday, February 04, 2025	Sheet	14	of 18








\*\* Low Resr at operation frequency is requirid

Efinix Inc		Cupertino, CA 95014		
		20400 Stevens Creek, Boulevard, Suite 200		
Title		16_Power_1		Copyright (c) 2024 All Rights Reserved
Size	B	Document Number	T2170J484-BRD-SCHM	Rev
				A
Date:	Tuesday, February 04, 2025		Sheet	17 of 18



Efinix Inc		Cupertino, CA 95014		
20400 Stevens Creek, Boulevard, Suite 200		Copyright (c) 2024 All Rights Reserved		
Title		17_Power_2		
Size	Document Number	Rev		
B	Tz170J484-BRD-SCHM	A		
Date:	Tuesday, February 04, 2025	Sheet	18	of 18



Item	Qty	Reference	Part	PCB Footprint
1	2	CR1,CR2	ESD Suppressor 24VDC 15kV	C0603
2	163	C1,C2,C3,C4,C5,C6,C7,C8,C9,C10,C11,C12,C13,C14,C15,C16,C17,C18,C19,C20,C21,C22,C23,C24,C25,C26,C27,C28,C29,C30,C31,C32,C33,C34,C36,C38,C40,C42,C43,C44,C45,C46,C47,C48,C49,C50,C51,C52,C53,C54,C55,C56,C57,C58,C59,C60,C61,C62,C63,C64,C65,C66,C67,C68,C69,C72,C74,C76,C78,C80,C82,C84,C86,C88,C103,C107,C112,C115,C120,C121,C126,C129,C130,C131,C133,C135,C137,C139,C140,C142,C170,C171,C173,C174,C176,C180,C181,C182,C185,C190,C195,C197,C199,C200,C201,C202,C203,C204,C205,C206,C207,C208,C209,C210,C211,C212,C213,C214,C215,C216,C217,C218,C219,C220,C221,C222,C223,C224,C225,C226,C227,C228,C229,C230,C231,C233,C234,C235,C237,C239,C241,C243,C245,C247,C249,C251,C253,C258,C259,C261,C263,C264,C266,C272,C273,C274,C275,C276,C277,C278,C288,C289,C290	0.1UF±10% 50V	C0402
3	32	C35,C37,C39,C41,C70,C71,C73,C75,C77,C79,C81,C83,C85,C87,C108,C109,C114,C122,C123,C124,C125,C132,C134,C136,C138,C141,C145,C232,C236,C238,C240,C242	10uF ±20% 16V	C0603
4	1	C179	47uF 6.3VDC 0603	C0603
5	9	C92,C93,C95,C96,C98,C99,C101,C102,C104	4.7uF ±10% 16V	C0603
6	4	C94,C97,C100,C279	0.01uF ±10% 50V	C0402
7	1	C105	3.3uF ±10% 10V	C0603
8	2	C110,C111	10pF ±5% 50V	C0402
9	1	C118	0.47UF ±10% 25V	C0402
10	1	C143	4.7nF ±10% 200V	C1206
11	3	C184, C252, C265	47uF 10VDC 1210	C1210
12	11	C116,C244,C246,C169,C172,C186,C198,C250,C254,C262,C267	10uF ±10% 50V	C1206
13	4	C178, C196, C248, C260	47uF 6.3VDC 1206	C1206
14	1	C177	47pF C0G 0402	C0402
15	8	C280,C281,C282,C283,C284,C285,C286,C287	2.2uF ±10% 16V	C0402
16	1	C291	1nF ±10% 50V	C0402
17	2	C292,C293	47uF ±20% 6.3V	C0805
18	6	C296,C297,C298,C299,C300,C301	100uF ±20% 10V	C1210
19	1	D1	Schottky Barrier Rectifier 20V 5A	DO-SMC
20	28	PT1,PT2,PT3,PT4,PT5,PT6,PT7,PT8,PT9,PT10,PT11,PT12,PT13,PT14,PT15,PT16,PT17,J4,J10,J11,J12,J13	Jumper (Busbar), Mini Shunt Jumper, 2 Ways, 2.54 mm, 2228 Series	Shunt
21	1	J8	HEADER 10	SIP10-2.54

Item	Qty	Reference	Part	PCB Footprint
22	1	J9	CON10A	CON5X2-2.54A
23	4	J10,J11,J12,J13	TSW-106-05-G-D	CON6X2-2.54A-TSW-106-05-G-D
24	10	LED1,LED2,LED3,LED4,LED5,LED6,LED7,LED11,LED12,LED13	Green	LED-0603
25	1	L7	1uH 0420	L-4.2X4.2-FDSD0420
26	5	L1,L8,L9,L13,L14	680nH 4.2mmx4.2mm -20%~20% 6500mA 2mm	L-4.2X4.2-FDSD0420
27	2	L10 L16	1.5uH 4.2mmx4.2mm -20%~20% 4300mA 2mm	L-4.2X4.2-FDSD0420
28	1	L11	Chip Ferrite Bead 120Ω@100MHz 3000mA	L0805
29	1	L15	4.7uH 4.2mmx4.2mm -20%~20% 2700mA 2mm	L-4.2X4.2-FDSD0420
30	1	OSC1	CRY-2520-4P25M	CRY-2520-4P
31	1	OSC2	CRY-2520-4P 74.25M	CRY-2520-4P
32	1	OSC3	CRY-2520-4P 50M	CRY-2520-4P
33	1	OSC4	CRY-2520-4P 33.333333M	CRY-2520-4P
34	1	OSC5	CRY-2520-4P 25M	CRY-2520-4P
35	1	PJ1	2.5 x 6.3 mm, 5.0 A, Horizontal, Surface Mount (SMT), DC Power Jack Connector	DC-PJ-037BH-SMT
36	1	PSW1	SPDT 100mA (DC) 12V 4.00mm Thru-hole PC 2.00mm	SW-3P-SPDT-OS102011MS2QN1
37	4	PT1,PT17, PT15,PT12	CON2X2-2.54A 2*2P	CON2X2-2.54A
38	13	PT2,PT3,PT4,PT5,PT6,PT7,PT8,PT9,PT10,PT11,PT13,PT14,PT16	SIP2-2.54 2*1P	SIP2-2.54
39	4	P1,P2,P3,P4	CONN RCPT 40POS SMD GOLD	CON20X2-QSE02001XXXDA-2HOLD
40	1	J5	VITA 57 CONN ARRAY RCPT 400pin 1.27mm	ASP-134486-01-FMCHUB
41	10	Q1,Q2,Q3,Q4,Q5,Q6,Q7,Q8,Q9,Q10	NPN 200mA 40V 0.3V@5mA,50mA - 100@10mA,1V - 55°C~150°C(TJ) SOT-523	SOT523-EBC
42	68	R1,R2,R11,R12,R13,R14,R27,R29,R30,R32,R40,R41,R42,R43,R82,R86,R102 ,R103,R104,R105,R106,R109,R110,R111,R132,R137,R150,R200,R202,R204, R205,R206,R207,R208,R209,R210,R211,R212,R213,R214,R215,R216,R217, R218,R219,R220,R221,R222,R223,R224,R225,R226,R227,R228,R229,R239, R240,R241,R242,R243,R244,R245,R246,R247,R248,R249,R250,R251	10kΩ ±1% 1/16W	R0402
43	2	R3,R4	240Ω ±1% 1/16W	R0402
44	4	R6,R7,R10,R252	33Ω ±1% 1/16W	R0402
45	2	R15,R16	10Ω ±1% 1/16W	R0402
46	17	R17,R26,R28,R34,R114,R121,R122,R123,R124,R125,R154,R156,R159,R238, R254,R256,R258	100kΩ ±1% 1/16W	R0402
47	1	R18	12kΩ ±1% 1/16W	R0402
48	3	R19,R20,R21	10kΩ ±0.1% 1/16W	R0402

Item	Qty	Reference	Part	PCB Footprint
49	1	R22	2.2kΩ ±1% 1/16W	R0402
50	6	R23,R24,R33.R97,R151,R198	5.1kΩ ±1% 1/16W	R0402
51	10	R25,R115,R116,R117,R118,R119,R120,R253,R255,R257	220Ω ±1% 1/16W	R0402
52	1	R31	300kΩ ±1% 1/16W	R0402
53	40	R35,R36,R79,R88,R95,R99,R101,R108,R126,R127,R128,R129,R133,R144,R145, R146,R165,R166,R169,R170,R173,R174,R181,R182,R185,R186,R187, R188,R191,R192,R195,R196,R260,R261,R262,R263,R264,R265,R266,R267	0Ω ±1% 1/16W	R0402
54	2	R37,R38	200kΩ ±1% 1/16W	R0402
55	1	R39	1MΩ ±1% 1/16W	R0402
56	2	R45,R47	62kΩ ±1% 1/16W	R0402
57	2	R46,R48	51kΩ ±1% 1/16W	R0402
58	1	R49	1MΩ ±5% 250mW	R1206
59	1	R81	47K 1% 0402	R0402
60	1	R89	1.1M 1% 0402	R0402
61	2	R90,R134	4.99kΩ ±1% 1/16W	R0402
62	1	R94	8.66kΩ ±1% 1/16W	R0402
63	1	R100	4.02kΩ ±1% 1/16W	R0402
64	1	R130	35.7kΩ ±1% 1/16W	R0402
65	1	R135	11.3kΩ ±1% 1/16W	R0402
66	1	R147	26.7kΩ ±1% 1/16W	R0402
67	1	R148	4.7kΩ ±1% 1/16W	R0402
68	1	R152	3.74kΩ ±1% 1/16W	R0402
69	1	R197	16.9kΩ ±1% 1/16W	R0402
70	1	R232	0mΩ 0.125W, 1/8W -5%~5%	R0805
71	1	R259	1KΩ -1%~1% 0.063W, 1/16W	R0402
72	1	SD1	MicroSD Card Sockets Connectors	SD-FG-MCD-111643
73	1	SMA1	0 Ohms, SMA PCB Jack Receptacle, Vertical, with Standoffs	SMA-CON-V-SD-73391-007
74	4	SW1,SW2,SW3,SW4	SPST-NO Tactile Switches 4.2mmx3.2mm - 400gf	SW-4.2X3.2-PTS810
75	1	USB1	USB - Type C Female 16 SMT USB Connectors	USB-TYPEC-U262-16XN-4BVC11
76	4	TP1, TP2, TP3, TP4		
77	1	U1	Tz170J484 BGA484-18X18-.8-SOCKET	BGA484-18X18-.8-SOCKET
78	1	U2	DRAM Chip Mobile LPDDR4 SDRAM	WFBGA200-10X14.5-.8X.65
79	1	U4	USB UART USB 2.0 70mA 64-LQFP 3 V ~ 3.6 V	QFN56-0808-.5TH6.1

Item	Qty	Reference	Part	PCB Footprint
81	1	U6	EEPROM 2Kb (128 x 16) 2MHz SPI SOT-23-6 2.5 V ~ 5.5V	SOT23-6
83	1	U9	5.5V to 28V Input, 2ch Synchronous Buck DC/DC Controller	QFN32-0505-.5TH3.4
84	7	U14,U15,U16,U18,U19,U24,U25	1 Adjustable 8000mA 600(Typ)kHz 4.5V 28V	VQFN11-3.5X3.5-BD9F800MUX-Z
85	1	U17	Positive Buck Adjustable 1 0.6V 14V 5000mA 600kHz, 1KHz, 2.2MHz 16-XFQFN Exposed Pad 4.5V 36V	QFN16-0303-.5-2pad
86	2	U20,U21	Power MOSFET 30V 20V,-20V 34W - 55°C~150°C	HSOP8-6X5-1.27TH4.21X3.5
87	2	U26,U27	NOR Flash Serial (SPI, Dual SPI, Quad SPI) 1.8V 256M-bit 256M/128M/64M x 1/2-bit/4-bit 5ns 8-Pin WSON EP	WSON8-6X5-1.27TH4X3.4
88	1	VR1	Trimmer Resistors - Through Hole 1/4"SQ 20KOHMS 10% 0.5WATTS	VR-3362R
89	1	VR2	Trimmer Resistors - Through Hole TRIMMER - 1/4" SQ ST CERMET	VR-3362R
90	1	Y1	12000000Hz -40°C~85°C 3225-4 12pF	CRY-3.2-2.5-4P